

Report Documentation Page				Form Approved OMB No. 0704-0188	
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE <b>MAR 2004</b>		2. REPORT TYPE		3. DATES COVERED <b>00-01-2004 to 00-03-2004</b>	
4. TITLE AND SUBTITLE <b>Tools of War (Engineer, Volume 34, PB 5-04-1, January-March 2004)</b>				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) <b>Engineer Professional Bulletin,MANSCEN Directorate of Training,464 MANSCEN Loop, Suite 2661,Fort Leonard Wood,MO,65473-8926</b>				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT <b>Approved for public release; distribution unlimited</b>					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT  <b>Same as Report (SAR)</b>	18. NUMBER OF PAGES  <b>3</b>	19a. NAME OF RESPONSIBLE PERSON
a. REPORT <b>unclassified</b>	b. ABSTRACT <b>unclassified</b>	c. THIS PAGE <b>unclassified</b>			


# TOOLS OF WAR

By Captain Trey Birdwell and Captain John A. Klemunes, Jr.

Successful future operations depend on lessons learned from previous operations. This implies incremental improvements and review of each process. Tracking explosive hazards during Operation Iraqi Freedom is an example of improving operations by using lessons learned from Operation Desert Storm and the stability missions in Bosnia and Kosovo. Minefields and unexploded ordnance (UXO) are battlefield hazards that remain long after combat operations have ceased. Tracking explosive hazards continuously throughout operations over an area the size of California is extremely important. Equally significant is the establishment of a system to disseminate this information to subordinate commands daily. The system used by the Coalition Forces Land Component Command (CFLCC) engineer staff section (C7) was the Tactical Minefield Database (TMFDB) System prototype, which gave engineers a way to track and disseminate explosive



**Tactical Minefield Database System**



**Hazard Analysis of Main and Alternate Supply Routes**

hazards information on the battlefield. Using the TMFDB, the CFLCC tracked the location of all air and ground cluster munitions, as well as new and previously recorded minefields. (Note: The CFLCC emplaced no minefields during Operation Iraqi Freedom.)

Before the TMFDB, Army engineers did not have an efficient, standard, automated method for recording, archiving, and disseminating enemy and

friendly obstacles. During Operation Enduring Freedom in Afghanistan, Army engineers used Microsoft® Excel spreadsheets and grease pencils to track minefields and explosive hazards. This technique has not changed in the past 50 years and is used throughout the engineer community. Although this tracking technique archives valuable mine information, it does nothing more than simply save the information. What





information was staggering and quickly grew beyond the capability of one data entry person, so our coalition partners provided two soldiers to help. In addition, we received two American terrain analysts who analyzed explosive hazards and their impact on mobility. Without their expertise on the ArcMap® software, we would have been unable to supply many of the requested specialty products to the command. These included distribution of explosive hazards in each Iraqi province and analysis of explosive hazards on main and alternate supply routes. This database would not have been possible without the efforts of those soldiers.

Since the TMFDB was so new and had limited distribution, the CFLCC was forced to enter the data and top-feed information. The CFLCC received information from subordinate commands, entered it into the TMFDB, then sent updated reports to subordinate commands. While this system worked, it was not the preferred approach. All information should have been entered at division level or below and then forwarded to the CFLCC for compilation and dissemination. The CJTF-7 C7 is distributing TMFDB computers down to division level so a bottom-fed reporting system can be implemented, increasing the accuracy and timeliness of reporting.

The TMFDB is only beneficial if units in the field can use the data. TMFDB information, including shape files for topographers to create maps and hazard overlays for the C2PC, is distributed primarily through classified networks. The information is also posted on secure Web sites. In addition, an Excel spreadsheet is posted with all hazard information. One example of a major subordinate command using this information during operations was when the C2PC hazard overlay was used as part of the mission analysis for installing an Inland Petroleum Distribution System (IPDS) (see *Engineer*, July-September 2003, page 13.) A minefield was identified in the proposed location of the pipeline, so the location was changed before construction to reduce the risk posed to soldiers and to avoid a probable delay in construction. A second example of the

practical use of TMFDB hazard information was the creation of maps showing hazard areas within 200 meters of all Iraqi pipelines and oil fields. These maps showed oil field repair teams where all the known explosive hazards were located in their area of operations so they could safely identify routes while assessing and repairing oil infrastructure.

As with any database, the output available is only as good as the input received. Engineer units must stress improved recording and reporting of explosive hazards. Accurate and timely data was very difficult to gather and assess during the campaign. An established reporting system would make the TMFDB a bottom-fed process, as desired. For this system to succeed and mature, a peacetime training plan must be implemented at the combat training centers to track dirty battlefields before, during, and after battles. This will exercise the users' understanding of the TMFDB and help report and track explosive hazards present on the battlefield. This effort will reinforce reporting chains and increase situational awareness of explosive hazards on the battlefield.

The TMFDB is a software program that uses a Geographic Information System (GIS) platform. The use of Environmental Systems Research Institute ArcGIS™ software is beneficial since it has been extensively integrated into the military topographic community. Using an existing commercial format and modifying it to meet current needs significantly decreased the fielding time to receive the system and put it into operation. In addition to its powerful computing capabilities, the system is very durable. Hardened computers are loaded with the software (TMFDB, ArcGIS, ArcMap®, ArcToolbox®, ArcCatalog®, FalconView™, MCS-E, Military Analyst, Windows® 2000 Professional, Microsoft® Office) necessary to perform the explosive hazard tracking mission. They also come with an external 200-gigabyte hard drive, loaded with maps and imagery for the entire area of responsibility. Additional hardware includes an uninterruptible

power supply and two hard-shell Pelican transport cases.

The prototype TMFDB is the first release in a spiral development of MCS-E. Upon delivery, the database would not merge with other databases, nor would it export to C2PC. Northrop Grumman IT TASC programmers quickly fixed those problems, and the U.S. Army Countermining/Counter Booby Trap Center (CMCBTC) and the Topographic Engineering Center provided upgrades through telephone calls and e-mail messages. These two offices redirected funding and prioritized efforts when needed. Through their hard work, the database became fully functional with additional upgrades that increased the tracking capability of the software.

Although the TMFDB System was in the developmental stages when it was fielded, its capability to process and distribute hazard data proved to be a useful force multiplier. We expect future releases to continue to enhance the capabilities of this system. It was introduced in time to significantly enhance the survivability of our combatants during one of the most violent ground attacks in the history of modern warfare. Fortunately, forward thinkers saw to it that fielding, training, and integration occurred before this campaign commenced. We can attribute better battlespace management to the efforts of the individuals who made this possible.



*Captain Birdwell was the CJTF-7 current operations engineer battle captain when this article was written. He is now in the Engineer Captain's Career Course.*

*Captain Klemunes is a reservist who is now on active duty. He holds a master's in civil engineering and is a licensed professional engineer in California, Virginia, Maryland, and Pennsylvania.*

For further information, contact the U.S. Army Countermining/Counter Booby Trap Center, Fort Leonard Wood, Missouri, at (573) 596-0131, ext. 37224, or DSN 676-7224.